

I.G1. Storage location for collections—institution type

Institution type	Office area	Stack area	Storage room	Attic, basement, closet	Warehouse	On exhibit	Other*	Total
Archives	14 (53.8%)	17 (65.4%)	10 (38.5%)	5 (19.2%)	3 (11.5%)	10 (38.5%)	7 (26.9%)	26 (83.9%)
Library Special Collections	83 (38.4%)	169 (78.2%)	82 (38.0%)	25 (11.6%)	10 (4.6%)	58 (26.9%)	32 (14.8%)	216 (91.5%)
Subtotal	97 (40.1%)	186 (76.9%)	92 (38.0%)	30 (12.4%)	13 (5.4%)	68 (28.1%)	39 (16.1%)	242 (90.6%)
Art Museums/Arts Councils	24 (42.1%)	5 (8.8%)	36 (63.2%)	7 (12.3%)	6 (10.5%)	47 (82.5%)	12 (21.1%)	57 (83.8%)
Children's Museums	3 (37.5%)	0 (0.0%)	5 (62.5%)	2 (25.0%)	0 (0.0%)	6 (75.0%)	0 (0.0%)	8 (100.0%)
Historic House Museums	37 (45.7%)	7 (8.6%)	42 (51.9%)	18 (22.2%)	11 (13.6%)	69 (85.2%)	12 (14.8%)	81 (77.9%)
History Museums	84 (44.9%)	21 (11.2%)	102 (54.5%)	32 (17.1%)	27 (14.4%)	166 (88.8%)	29 (15.5%)	187 (79.6%)
Science Museums	12 (35.3%)	3 (8.8%)	17 (50.0%)	2 (5.9%)	3 (8.8%)	25 (73.5%)	7 (20.6%)	34 (79.1%)
Subtotal	160 (43.6%)	36 (9.8%)	202 (55.0%)	61 (16.6%)	47 (12.8%)	313 (85.3%)	60 (16.3%)	367 (80.1%)
State Historic Sites	10 (52.6%)	4 (21.1%)	8 (42.1%)	3 (15.8%)	0 (0.0%)	18 (94.7%)	3 (15.8%)	19 (73.1%)
State Parks	7 (70.0%)	0 (0.0%)	5 (50.0%)	0 (0.0%)	0 (0.0%)	7 (70.0%)	0 (0.0%)	10 (100.0%)

Institution type	Office area	Stack area	Storage room	Attic, basement, closet	Warehouse	On exhibit	Other*	Total
Subtotal	17 (58.6%)	4 (13.8%)	13 (44.8%)	3 (10.3%)	0 (0.0%)	25 (86.2%)	3 (10.3%)	29 (80.6%)
Total	274 (42.9%)	226 (35.4%)	307 (48.1%)	94 (14.7%)	60 (9.4%)	406 (63.6%)	102 (16.0%)	638 (83.8%)

* Write-in responses to “Other” include: barns, dormitory rooms, private residences, public stacks, file cabinets, fire proof safes, outdoors, temporary buildings, temporary storage, and vaults, adjacent buildings on campus, bathrooms, off site, safety deposit boxes, vacant rooms, and storage facilities, bathrooms, underground, shelters, conference rooms, classroom spaces.

I.G2.1. Equipment available in storage areas by percentage—institution type
(Table 1/2, Year-round temperature controls to Fire suppression)

Institution type	Year-round temperature controls					Year-round humidity controls					Fire detection (smoke/heat alarms)					Fire suppression (sprinklers, Halon)					Total
	None	25%	50%	75%	All	None	25%	50%	75%	All	None	25%	50%	75%	All	None	25%	50%	75%	All	
Archives	5 (16.1%)	0 (0.0%)	2 (6.5%)	3 (9.7%)	21 (67.7%)	14 (45.2%)	1 (3.2%)	1 (3.2%)	2 (6.5%)	13 (41.9%)	8 (25.8%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	23 (74.2%)	12 (38.7%)	1 (3.2%)	1 (3.2%)	2 (6.5%)	15 (48.4%)	31 (100.0%)
Library Special Collections	36 (15.4%)	3 (1.3%)	6 (2.6%)	6 (2.6%)	183 (78.2%)	139 (59.4%)	7 (3.0%)	8 (3.4%)	7 (3.0%)	73 (31.2%)	61 (26.1%)	4 (1.7%)	3 (1.3%)	1 (0.4%)	165 (70.5%)	174 (74.4%)	4 (1.7%)	3 (1.3%)	2 (0.9%)	51 (21.8%)	234 (99.2%)
Subtotal	41 (15.5%)	3 (1.1%)	8 (3.0%)	9 (3.4%)	204 (77.0%)	153 (57.7%)	8 (3.0%)	9 (3.4%)	9 (3.4%)	86 (32.5%)	69 (26.0%)	4 (1.5%)	3 (1.1%)	1 (0.4%)	188 (70.9%)	186 (70.2%)	5 (1.9%)	4 (1.5%)	4 (1.5%)	66 (24.9%)	265 (99.3%)
Art Museums/ Arts Councils	20 (30.3%)	0 (0.0%)	1 (1.5%)	2 (3.0%)	43 (65.2%)	41 (62.1%)	0 (0.0%)	2 (3.0%)	2 (3.0%)	21 (31.8%)	19 (28.8%)	0 (0.0%)	1 (1.5%)	0 (0.0%)	46 (69.7%)	36 (54.5%)	2 (3.0%)	3 (4.5%)	3 (4.5%)	22 (33.3%)	66 (97.1%)
Children's Museums	1 (12.5%)	0 (0.0%)	0 (0.0%)	1 (12.5%)	6 (75.0%)	7 (87.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (12.5%)	1 (12.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	7 (87.5%)	6 (75.0%)	0 (0.0%)	1 (12.5%)	0 (0.0%)	1 (12.5%)	8 (100.0%)
Historic House Museums	26 (27.1%)	5 (5.2%)	7 (7.3%)	15 (15.6%)	43 (44.8%)	64 (66.7%)	4 (4.2%)	6 (6.3%)	9 (9.4%)	13 (13.5%)	32 (33.3%)	5 (5.2%)	5 (5.2%)	5 (5.2%)	49 (51.0%)	73 (76.0%)	5 (5.2%)	1 (1.0%)	5 (5.2%)	12 (12.5%)	96 (92.3%)
History Museums	70 (31.4%)	11 (4.9%)	18 (8.1%)	28 (12.6%)	96 (43.0%)	151 (67.7%)	11 (4.9%)	14 (6.3%)	17 (7.6%)	30 (13.5%)	81 (36.3%)	10 (4.5%)	9 (4.0%)	14 (6.3%)	109 (48.9%)	160 (71.7%)	4 (1.8%)	12 (5.4%)	7 (3.1%)	40 (17.9%)	223 (94.9%)
Science Museums	11 (26.2%)	2 (4.8%)	2 (4.8%)	2 (4.8%)	25 (59.5%)	32 (76.2%)	0 (0.0%)	3 (7.1%)	1 (2.4%)	6 (14.3%)	11 (26.2%)	2 (4.8%)	3 (7.1%)	0 (0.0%)	26 (61.9%)	32 (76.2%)	1 (2.4%)	2 (4.8%)	0 (0.0%)	7 (16.7%)	42 (97.7%)
Subtotal	128 (29.4%)	18 (4.1%)	28 (6.4%)	48 (11.0%)	213 (49.0%)	295 (67.8%)	15 (3.4%)	25 (5.7%)	29 (6.7%)	71 (16.3%)	144 (33.1%)	17 (3.9%)	18 (4.1%)	19 (4.4%)	237 (54.5%)	307 (70.6%)	12 (2.8%)	19 (4.4%)	15 (3.4%)	82 (18.9%)	435 (95.0%)
State Historic Sites	7 (29.2%)	2 (8.3%)	3 (12.5%)	3 (12.5%)	9 (37.5%)	17 (70.8%)	1 (4.2%)	1 (4.2%)	2 (8.3%)	3 (12.5%)	5 (20.8%)	1 (4.2%)	3 (12.5%)	2 (8.3%)	13 (54.2%)	18 (75.0%)	2 (8.3%)	0 (0.0%)	0 (0.0%)	4 (16.7%)	24 (92.3%)
State Parks	0 (0.0%)	2 (20.0%)	0 (0.0%)	1 (10.0%)	7 (70.0%)	8 (80.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (20.0%)	1 (10.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	9 (90.0%)	9 (90.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (10.0%)	10 (100.0%)
Subtotal	7 (20.6%)	4 (11.8%)	3 (8.8%)	4 (11.8%)	16 (47.1%)	25 (73.5%)	1 (2.9%)	1 (2.9%)	2 (5.9%)	5 (14.7%)	6 (17.6%)	1 (2.9%)	3 (8.8%)	2 (5.9%)	22 (64.7%)	27 (79.4%)	2 (5.9%)	0 (0.0%)	0 (0.0%)	5 (14.7%)	34 (94.4%)
Total	176 (24.0%)	25 (3.4%)	39 (5.3%)	61 (8.3%)	433 (59.0%)	473 (64.4%)	24 (3.3%)	35 (4.8%)	40 (5.4%)	162 (22.1%)	219 (29.8%)	22 (3.0%)	24 (3.3%)	22 (3.0%)	447 (60.9%)	520 (70.8%)	19 (2.6%)	23 (3.1%)	19 (2.6%)	153 (20.8%)	734 (96.5%)

**I.G2.2. Equipment available in storage areas by percentage—institution type
(Table 2/2, Security systems to Collections are protected from excessive light)**

Institution type	Security systems (motion detectors, locks, surveillance cameras, alarms)					Air filters used					Collections are protected from excessive light					Total
	None	25%	50%	75%	All	None	25%	50%	75%	All	None	25%	50%	75%	All	
Archives	8 (25.8%)	0 (0.0%)	1 (3.2%)	1 (3.2%)	21 (67.7%)	8 (25.8%)	0 (0.0%)	1 (3.2%)	0 (0.0%)	22 (71.0%)	4 (12.9%)	0 (0.0%)	1 (3.2%)	2 (6.5%)	24 (77.4%)	31 (100.0%)
Library Special Collections	72 (30.8%)	3 (1.3%)	4 (1.7%)	8 (3.4%)	147 (62.8%)	57 (24.4%)	3 (1.3%)	3 (1.3%)	3 (1.3%)	168 (71.8%)	57 (24.4%)	9 (3.8%)	30 (12.8%)	21 (9.0%)	117 (50.0%)	234 (99.2%)
Subtotal	80 (30.2%)	3 (1.1%)	5 (1.9%)	9 (3.4%)	168 (63.4%)	65 (24.5%)	3 (1.1%)	4 (1.5%)	3 (1.1%)	190 (71.7%)	61 (23.0%)	9 (3.4%)	31 (11.7%)	23 (8.7%)	141 (53.2%)	265 (99.3%)
Art Museums/Arts Councils	21 (31.8%)	0 (0.0%)	1 (1.5%)	4 (6.1%)	40 (60.6%)	22 (33.3%)	1 (1.5%)	0 (0.0%)	1 (1.5%)	42 (63.6%)	16 (24.2%)	3 (4.5%)	3 (4.5%)	6 (9.1%)	38 (57.6%)	66 (97.1%)
Children's Museums	1 (12.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	7 (87.5%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	8 (100.0%)	1 (12.5%)	0 (0.0%)	0 (0.0%)	2 (25.0%)	5 (62.5%)	8 (100.0%)
Historic House Museums	27 (28.1%)	3 (3.1%)	7 (7.3%)	8 (8.3%)	51 (53.1%)	33 (34.4%)	3 (3.1%)	7 (7.3%)	10 (10.4%)	43 (44.8%)	29 (30.2%)	8 (8.3%)	21 (21.9%)	12 (12.5%)	26 (27.1%)	96 (92.3%)
History Museums	82 (36.8%)	6 (2.7%)	11 (4.9%)	16 (7.2%)	108 (48.4%)	84 (37.7%)	7 (3.1%)	21 (9.4%)	15 (6.7%)	96 (43.0%)	67 (30.0%)	12 (5.4%)	29 (13.0%)	34 (15.2%)	81 (36.3%)	223 (94.9%)
Science Museums	11 (26.2%)	0 (0.0%)	3 (7.1%)	1 (2.4%)	27 (64.3%)	15 (35.7%)	2 (4.8%)	3 (7.1%)	2 (4.8%)	20 (47.6%)	16 (38.1%)	3 (7.1%)	1 (2.4%)	1 (2.4%)	21 (50.0%)	42 (97.7%)
Subtotal	142 (32.6%)	9 (2.1%)	22 (5.1%)	29 (6.7%)	233 (53.6%)	154 (35.4%)	13 (3.0%)	31 (7.1%)	28 (6.4%)	209 (48.0%)	129 (29.7%)	26 (6.0%)	54 (12.4%)	55 (12.6%)	171 (39.3%)	435 (95.0%)
State Historic Sites	10 (41.7%)	2 (8.3%)	3 (12.5%)	1 (4.2%)	8 (33.3%)	10 (41.7%)	1 (4.2%)	3 (12.5%)	1 (4.2%)	9 (37.5%)	7 (29.2%)	1 (4.2%)	4 (16.7%)	3 (12.5%)	9 (37.5%)	24 (92.3%)
State Parks	0 (0.0%)	1 (10.0%)	0 (0.0%)	0 (0.0%)	9 (90.0%)	1 (10.0%)	1 (10.0%)	0 (0.0%)	1 (10.0%)	7 (70.0%)	2 (20.0%)	0 (0.0%)	0 (0.0%)	3 (30.0%)	5 (50.0%)	10 (100.0%)
Subtotal	10 (29.4%)	3 (8.8%)	3 (8.8%)	1 (2.9%)	17 (50.0%)	11 (32.4%)	2 (5.9%)	3 (8.8%)	2 (5.9%)	16 (47.1%)	9 (26.5%)	1 (2.9%)	4 (11.8%)	6 (17.6%)	14 (41.2%)	34 (94.4%)
Total	232 (31.6%)	15 (2.0%)	30 (4.1%)	39 (5.3%)	418 (56.9%)	230 (31.3%)	18 (2.5%)	38 (5.2%)	33 (4.5%)	415 (56.5%)	199 (27.1%)	36 (4.9%)	89 (12.1%)	84 (11.4%)	326 (44.4%)	734 (96.5%)